

**COMMERCIAL - TECHNICAL DATA**  
**DATOS TÉCNICO - COMERCIAL**



Multidisciplinary fabric, crafted with care, that offer a soft, smooth and comfortable texture. Applications: T-shirts, shorts, skirts, dresses, etc...  
- Tejido multidisciplinar, elaborado con mimo, que ofrece una textura suave, tersa y comfortable. Aplicaciones: Camisetas, shorts, Faldas, vestidos, etc...

Test Method for / Método de prueba para: Woven Fabrics		STANDARD (estandar)		DIGITAL PRINT	
Width / Ancho	Phisic / Físico	In	Cms	In	Cms
		NTC 228-2011	Useful / Util	67	170
Weight / Peso	ASTM D 3776-2009	Oz/syd	Gsm	Oz/syd	Gsm
		4.4	150	4.4	150
Shrinkage / Cambio dimensional (%) 135-2004 / IN504-15	Lenght / Longitud	4%		4%	
	Trans / Transversal	3%		3%	
Spirality after laundry / Viraje despues del lavado (%) ISO16322-2-2005	Lenght / Longitud	3%		3%	
	Trans / Transversal	3%		3%	
Color fastness to wash / Solidez al lavado (gray scale) AATCC 61-2007	Change / Cambio	4		4	
	Stain / Transf	3		3	
Dye transfer to storage. Option II (gray scale) / Transferencia del color por almacenamiento. Opcion II AATCC 163-2007	Stain / Transf	4		4	
Color fastness to light (gray scale) / Solidez a la luz BS 1006-1990	Change / Cambio	4		4	
Color fastness to crocking (gray scale) / Solidez al frote AATCC 8-2007	Dry / Seco	4		4	
	Wet / Húmedo	3		3	
Color Fastness to perspiration (gray scale) / Solidez a la transpiración AATCC 15-2007	Change / Cambio	4		4	
	Stain / Transf	3		3	
Pilling / Pilling (Photographic) NTC 2051-2 / 2003		3		3	
Type of fabric / Tipo de tejido				Woven	
				Reviewed by	
<b>Recommendations / Recomendaciones:</b> It is recommended to lay a maximum of 30 layers for cutting. / Se recomienda colocar un máximo de 30 capas para cortar. Use suitable thread for light fabrics and a ball point needle. / Utilice hilo adecuado para tejidos ligeros y una aguja de punta redonda. Wash with clothes of the same color. / Lavar con ropa del mismo color. Iron inside out. / Planchar del revés.				GT/AL	
					